

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)

**NEWS OF THE NATIONAL ACADEMY
OF SCIENCES OF THE REPUBLIC
OF KAZAKHSTAN, SERIES OF
GEOLOGY AND TECHNICAL SCIENCES**

№2

2026

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)



N E W S
OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN,
SERIES OF GEOLOGY AND TECHNICAL
SCIENCES

2 (476)
MARCH – APRIL 2026

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, 2026



Scopus®



The scientific journal News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences has been indexed in the international abstract and citation database Scopus since 2016 and demonstrates stable bibliometric performance.

The journal is also included in the Emerging Sources Citation Index (ESCI) of the Web of Science platform (Clarivate Analytics, since 2018).

Indexing in ESCI confirms the journal's compliance with international standards of scientific peer review and editorial ethics and is considered by Clarivate Analytics as part of the evaluation process for potential inclusion in the Science Citation Index Expanded (SCIE), Social Sciences Citation Index (SSCI), and Arts & Humanities Citation Index (AHCI).

Indexing in Scopus and Web of Science ensures high international visibility of publications, promotes citation growth, and reflects the editorial board's commitment to publishing relevant, original, and scientifically significant research in the fields of geology and technical sciences.

«Қазақстан Республикасы Ұлттық ғылым академиясының Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналы 2016 жылдан бастап халықаралық реферативтік және ғылымиметриялық Scopus дерекқорында индекстеледі және тұрақты библиометриялық көрсеткіштерді көрсетіп келеді.

Сонымен қатар журнал Web of Science платформасының (Clarivate Analytics, 2018) халықаралық реферативтік және наукометриялық дерекқоры Emerging Sources Citation Index (ESCI) тізіміне енгізілген.

ESCI дерекқорында индекстелуі журналдың халықаралық ғылыми рецензиялау талаптары мен редакциялық этика стандарттарына сәйкестігін растайды, сондай-ақ Clarivate Analytics компаниясы тарапынан басылмды Science Citation Index Expanded (SCIE), Social Sciences Citation Index (SSCI) және Arts & Humanities Citation Index (AHCI) дерекқорларына енгізу қарастырылуда.

Scopus және Web of Science дерекқорларында индекстелуі жарияланымдардың халықаралық деңгейде жоғары сұранысқа ие болуын қамтамасыз етеді, олардың дәйексөз алу көрсеткіштерінің артуына ықпал етеді және редакциялық алқаның геология мен техникалық ғылымдар саласындағы өзекті, бірегей және ғылыми тұрғыдан маңызды зерттеулерді жариялауға ұмтылысын айқындайды.

Научный журнал «News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences» с 2016 года индексируется в международной реферативной и наукометрической базе данных Scopus и демонстрирует стабильные библиометрические показатели.

Журнал также включён в международную реферативную и наукометрическую базу данных Emerging Sources Citation Index (ESCI) платформы Web of Science (Clarivate Analytics, 2018).

Индексирование в ESCI подтверждает соответствие журнала международным стандартам научного рецензирования и редакционной этики, а также рассматривается компанией Clarivate Analytics в рамках дальнейшего включения издания в Science Citation Index Expanded (SCIE), Social Sciences Citation Index (SSCI) и Arts & Humanities Citation Index (AHCI).

Индексирование в Scopus и Web of Science обеспечивает высокую международную востребованность публикаций, способствует росту цитируемости и подтверждает стремление редакционной коллегии публиковать актуальные, оригинальные и научно значимые исследования в области геологии и технических наук.

EDITOR-IN-CHIEF

ZHURINOV Murat Zhurinovich, Doctor of Chemical Sciences, Professor, Academician of IAAS and NAS RK, General Director of the Research Institute of Petroleum Refining and Petrochemicals (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>; <https://www.webofscience.com/wos/author/record/2017489>

DEPUTY EDITOR-IN-CHIEF

ABSADYKOV Bakhyt Narikbayevich, Doctor of Technical Sciences, Professor, Academician of NAS RK, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>; <https://www.webofscience.com/wos/author/record/2411827>

EDITORIAL BOARD:

ABSAMETOV Malis Kudysovich, Doctor of Geological and Mineralogical Sciences, Professor, Academician of NAS RK, Director of the U.M. Akhmedsafa Institute of Hydrogeology and Geoecology (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>; <https://www.webofscience.com/wos/author/record/1937883>

ZHOLTAEV Geroy Zholtaevich, Doctor of Geological and Mineralogical Sciences, Professor, Honorary Academician of NAS RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>; <https://www.webofscience.com/wos/author/record/1939201>

SNOW Daniel, PhD, Associate Professor, Director, Aquatic Sciences Laboratory, University of Nebraska (Nebraska, USA), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>; <https://www.webofscience.com/wos/author/record/1429613>

SELTMAN Reimar, PhD, Head of Petrology and Mineral Deposits Research in the Earth Sciences Department, Natural History Museum (London, Great Britain), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>; <https://www.webofscience.com/wos/author/record/1048681>

PANFILOV Mikhail Borisovich, Doctor of Technical Sciences, Professor at the University of Nancy (Nancy, France), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>; <https://www.webofscience.com/wos/author/record/1230499>

SHEN Ping, PhD, Deputy Director of the Mining Geology Committee of the Chinese Geological Society, Member of the American Association of Economic Geologists (Beijing, China), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>; <https://www.webofscience.com/wos/author/record/1753209>

FISCHER Axel, PhD, Associate Professor, Technical University of Dresden (Dresden, Germany), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>; <https://www.webofscience.com/wos/author/record/2085986>

AGABEKOV Vladimir Enokovich, Doctor of Chemical Sciences, Academician of NAS of Belarus, Honorary Director of the Institute of Chemistry of New Materials (Minsk, Belarus), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

CATALIN Stefan, PhD, Associate Professor, Technical University of Dresden (Dresden, Germany), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>; <https://www.webofscience.com/wos/author/record/1309251>

JAY Sagin, PhD, Associate Professor, Nazarbayev University (Astana, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>; <https://www.webofscience.com/wos/author/record/907886>

FRATTINI Paolo, PhD, Associate Professor, University of Milano - Bicocca (Milan, Italy), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

NURPEISOVA Marzhan Baysanovna, Doctor of Technical Sciences, Professor of Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>; <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

RATOV Boranbay Tovbasarovich, Doctor of Technical Sciences, Professor, Head of the Department of Geophysics and Seismology, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>; <https://www.webofscience.com/wos/author/record/1993614>

RONNY Berndtsson, Professor, Director of the Centre for Advanced Middle Eastern Studies, Lund University (Lund, Sweden), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>; <https://www.webofscience.com/wos/author/record/1324908>

MIRLAS Vladimir, PhD, Professor, Eastern R&D Center, Ariel University (Ariel, Israel), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>; <https://www.webofscience.com/wos/author/record/53680261>

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: «Central Asian Academic Research Center» LLP (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Communications of the Republic of Kazakhstan № KZ50VPY00121155, issued on 05.06.2025
Thematic scope: *geology, hydrogeology, geography, mining and chemical technologies of oil, gas and metals*
Periodicity: 6 times a year.

<http://www.geolog-technical.kz/index.php/en/>

© «Central Asian Academic Research Center» LLP, 2026.

БАС РЕДАКТОР

ЖҰРЫНОВ Мұрат Жұрыңұлы, химия ғылымдарының докторы, профессор, ХҒАҚ және ҚР ҰҒА академигі, Мұнай өңдеу және мұнай-химиясы ғылыми-зерттеу институтының бас директоры (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>; <https://www.webofscience.com/wos/author/record/2017489>

БАС РЕДАКТОРДЫҢ ОРЫНБАСАРЫ:

АБСАДЫҚОВ Бақыт Нәрікбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университеті (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>; <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИЯ АЛҚАСЫ:

ӨБСӘМЕТОВ Мәліс Құдысұлы, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, У.М. Ахмедсафин атындағы Гидрогеология және геоэкология институтының директоры (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>; <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтайұлы, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА құрметті академигі (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>; <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры (Небраска, АҚШ), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>; <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛБТМАНН Раймар, PhD, Жер туралы ғылымдар бөлімінің петрология және пайдалы қазбалар кен орындары саласындағы зерттеулерінің жетекшісі, Табиғи тарих мұражайы (Лондон, Ұлыбритания), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>; <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>; <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, Қытай геологиялық қоғамының Тау-кен геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі (Бейжің, Қытай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>; <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, PhD, қауымдастырылған профессор, Дрезден техникалық университеті (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>; <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, қауымдастырылған профессор, Дрезден Техникалық университеті (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>; <https://www.webofscience.com/wos/author/record/1309251>

САҒЫНТАЕВ Жанай, PhD, қауымдастырылған профессор, Назарбаев университеті (Астана, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>; <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, қауымдастырылған профессор, Бикокк Милан университеті (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НҮРПЕЙІСОВА Маржан Байсанқызы, техника ғылымдарының докторы, Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университетінің профессоры (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>; <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

РАТОВ Боранбай Товбасарович, техника ғылымдарының докторы, профессор, «Геофизика және сейсмология» кафедрасының меңгерушісі, Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университеті (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>; <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Беридтссон, профессор, Таяу Шығысты заманауи зерттеу орталығының директоры, Лунд университеті (Лунд, Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>; <https://www.webofscience.com/wos/author/record/1324908>

МИРІАС Владимир, PhD, профессор, Ариэль университетінің Шығыс ғылыми-зерттеу орталығы (Ариэль, Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>; <https://www.webofscience.com/wos/author/record/53680261>

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Орталық Азия академиялық ғылыми орталығы» ЖШС (Алматы қ.).

Қазақстан Республикасының Ақпарат және коммуникациялар министрлігінің Ақпарат комитетінде 05.06.2025 ж. берілген № KZ50VPY00121155 мерзімдік басылым тіркеуіне қойылу туралы куәлік. Тақырыптық бағыты: *геология, гидрогеология, география, тау-кен ісі, мұнай, газ және металдардың химиялық технологиялары*

Мерзімділігі: жылына 6 рет.

<http://www.geolog-technical.kz/index.php/en/>

ГЛАВНЫЙ РЕДАКТОР

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик МАН и НАН РК, Генеральный директор НИИ нефтепереработки и нефтехимии (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>; <https://www.webofscience.com/wos/author/record/2017489>

ЗАМЕСТИТЕЛЬ ГЛАВНОГО РЕДАКТОРА

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, академик НАН РК, Казахский национальный исследовательский технический университет им. К.И. Сатпаева (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>; <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИОННАЯ КОЛЛЕГИЯ:

АБСАМЕТОВ Малис Кудысович, доктор геолого-минералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>; <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтаевич, доктор геолого-минералогических наук, профессор, почетный академик НАН РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>; <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, ассоциированный профессор, директор Лаборатории водных наук Университета Небраски (Небраска, США), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>; <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛЬТМАНН Раймар, PhD, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Великобритания), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>; <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>; <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>; <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, PhD, ассоциированный профессор, Технический университет Дрезден (Дрезден, Берлин), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>; <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, ассоциированный профессор, Технический университет Дрезден (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>; <https://www.webofscience.com/wos/author/record/1309251>

САГИНТАЕВ Жанай, PhD, ассоциированный профессор, Назарбаев университет (Астана, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>; <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, ассоциированный профессор, Миланский университет Бикокк (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НУРПЕИСОВА Маржан Байсановна, доктор технических наук, профессор Казахского национального исследовательского технического университета им. К.И. Сатпаева (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>; <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

РАТОВ Боранбай Товбасарович, доктор технических наук, профессор, заведующий кафедрой «Геофизика и сейсмология», Казахский национальный исследовательский технический университет им. К.И. Сатпаева (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>; <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Берндтссон, профессор, Директор Центра современных ближневосточных исследований, Лундский университет (Лунд, Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>; <https://www.webofscience.com/wos/author/record/1324908>

МИРЛАС Владимир, PhD, профессор, Восточный научно-исследовательский центр, Университет Ариэля (Ариэль, Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>; <https://www.webofscience.com/wos/author/record/53680261>

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: ТОО «Центрально-Азиатский академический научный центр» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и коммуникаций и Республики Казахстан № KZ50VPY00121155, выданное 05.06.2025 г.

Тематическая направленность: *геология, гидрогеология, география, горное дело и химические технологии нефти, газа и металлов*

Периодичность: 6 раз в год.

<http://www.geolog-technical.kz/index.php/en/>

© ТОО «Центрально-Азиатский академический научный центр», 2026.

CONTENTS

Abetov A.E., Seitzhanov A.K., Samenov Y.R., Zhassymbek S.A. Machine learning and neural networks for lithofacies mapping and reservoir property evaluation of core samples.....	8
Aitkaliyev A.K., Pak Y.N., Kolmakov Y.V., Pak D.Y., Matishev T.V. Application of the X-Ray radiometric method to improve the operational quality control of copper ores during geological testing.....	26
Altay Y.A., Karymsakova N.T., Fedorov A.V., Absadykov D.B., Ismagul G.K. Predictive control of diagnostically significant parameters of acoustic emission using machine learning: new data.....	41
Astanakulov K.D., Kodirova M.G., Saydumarov B., Nersesyan D.V., Kurashkin S.O. Resource potential of ecological and geological systems of allocated soil masses.....	58
Avazov Sh.B., Yodgorov Sh.I., Mukhammadkulov N.M., Aktamov B.U., Khayriddinov B.B. Instrumental seismometric assessment of the impact of technogenic seismic vibrations on the structural stability of historical objects.....	74
Baskanbayeva D., Kalmaganbetov S., Sabirova L., Zholdybayeva G., Koptleuov K. CFD analysis of screw compressor rotor geometry influence on gas compression efficiency in geology.....	92
Borotov A.N., Karshiev F.U., Igamberdiyev A.A., Grigoryan A.G., Sarigo N.V. Ecological aspects of resource conservation in the development of mineral deposits.....	107
Gerasidi V.V., Lisachenko A.V., Apatenko A.S., Sevryugina N.S., Fomin A.Y. Analysis of the application of non-destructive testing methods for assessing the technical condition of mining equipment motors based on vibration parameters.....	121
Hajiyeva A.Z., Ibrahimova L.P., Humbatova Sh.Y., Jafarova F.M. Ecological processes of vertical landscape transformation and their manifestation in the natural landscapes of Nakhchivan.....	135
Jakiyayev D.K., Nussipali R.K.*, Malibekov A.K., Jakiyayev B.D., Zhashen S.Zh. Statistical model of multi-cycle fatigue of steel structural elements under a complex non-uniform stress state.....	149
Jumatov Y.K., Tashbulatov S.B., Pushanov A.N., Kozenkova G.L., Yarygina I.V. Technological substantiation of sustainable mining reclamation of disturbed lands in open pit operations.....	169
Kainenova T.S., Kosmbaeva G.T., Bissembayeva K.T., Otarbayeva A.T., Orazbek A.A. Effectiveness of measures to regulate the development process at the Alibekmola field.....	185

Koishiyeva G.Zh., Yerimova A.Zh., Kurbaniyazov S.K., Agaidarova K.H., Abdraimova K.T. Radiological properties and stratigraphic significance of glauconite-bearing formations: implications for paleoenvironments and geochemical zonation.....	203
Kondratiev V.V., Bryukhanova N.N., Kononenko R.V., Gladkikh V.A., Matasova I.Y. Environmental and technological assessment of beneficiation tailings reprocessing based on mechanical activation and non-ferrous metals leaching.....	223
Kuldeyev Ye., Negmatov S., Nurpeissova M., Kirgizbaeva D., Donenbayeva N. Geodynamic Polygon of the Zhilandy Ore Field: Results and Prospects.....	237
Madibekov A., Christian Opp., Karimov A., Ismukhanova L., Zhadi A. Regularities of distribution and accumulation factors of heavymetals in soils of the Zhetysu region (Kazakhstan).....	253
Malikov G.I., Musayeva S.A., Mammadov K.S., Jabiyeva U.M., Jafarova K.V. Effects of hydrocarbon fuel quality fluctuations on energy generation efficiency, economic viability, and environmental footprint.....	272
Narbaev M.T., Ismailova G.K., Narbaeva K.T., Burlibayeva D.M., Groll M. Assessment of ecological and water management parameters of the Syrdarya River.....	290
Nurmagambetov A. On seismic hazard of Almaty and tectonic faults in the city.....	309
Permana A.P., Kasim M., Hutagalung R., Uno D.A.N., Sandi I.N. petrographic, provenance, and tectonic setting of Dolokapa formation sandstone, North Gorontalo.....	319
Ratov B.T., Khomenko V.L., Yavorska O.O., Koroviaka Ye.A., Akhmetova N.S. Analytical and structural justification of a wellhead sealing device for large-diameter drilling operations.....	335
Skrobala V.M., Popovych V.V., Kopylov V.P., Popovych N.P. Comprehensive assessment of heavy metal pollution of a river within a large city.....	355
Sunakbaeva D.Kh., Yuldashbek D.Kh., Aitekova K., Seitbayev K.Zh. Monitoring heavy metals in soils and waters of the City of Turkestan: geoecological aspect.....	371
Zakirov M.M., Agzamova I.A., Ochilov G.E., Gulyamov G.D., Xudayberdiyev T.M. Analysis of the results of changes in the gas and isotopic composition of groundwater during the period of earthquake preparation.....	385
Zhanbatyrov A.A., Tukhfatov Zh.K., Bektay E.K., Turisbekova G.S., Zhanbatyrov N.A. Current state of potash ore development in the Caspian lowlands of the Republic of Kazakhstan: problems and solutions.....	309

NEWS OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC
OF KAZAKHSTAN, SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 2.

Number 476 (2026), 121–134

<https://doi.org/10.32014/2026.2518-170X.619>

UDC: 622.232:621.436:620.179.16

IRSTI: 55.33.29; 81.81.31

©Gerasidi V.V.^{1*}, Lisachenko A.V.¹, Apatenko A.S.², Sevryugina N.S.²,
Fomin A.Y.², 2026.

¹Admiral Ushakov Maritime State University, Novorossiysk, Russia;

²Russian State Agrarian University – Moscow Timiryazev Agricultural Academy,
Moscow, Russia.

E-mail: gerasidi@rambler.ru

ANALYSIS OF THE APPLICATION OF NON-DESTRUCTIVE TESTING METHODS FOR ASSESSING THE TECHNICAL CONDITION OF MINING EQUIPMENT MOTORS BASED ON VIBRATION PARAMETERS

Gerasidi Viktor — PhD, Associate Professor, Admiral Ushakov Maritime State University,
Novorossiysk, Russia,

E-mail: gerasidi@rambler.ru, <https://orcid.org/0000-0001-5094-4139>;

Lisachenko Alexey — PhD, Senior Lecturer, Admiral Ushakov Maritime State University,
Novorossiysk, Russia,

E-mail: Lisachenko@nsma.ru, <https://orcid.org/0000-0002-3494-1437>;

Apatenko Aleksey — Doctor of Technical Sciences, Professor, Russian State Agrarian University –
Moscow Timiryazev Agricultural Academy, Moscow, Russia,

E-mail: a.apatenko@rgau-msha.ru, <https://orcid.org/0009-0006-8465-6251>;

Sevryugina Nadezhda — Doctor of Technical Sciences, Professor, Russian State Agrarian
University – Moscow Timiryazev Agricultural Academy, Moscow, Russia,

E-mail: nssevr@yandex.ru, <https://orcid.org/0000-0002-3494-1437>;

Fomin Alexander — Candidate of Technical Sciences, Associate Professor, Russian State Agrarian
University – Moscow Timiryazev Agricultural Academy, Moscow, Russia,

E-mail: sachafomin@mail.ru, <https://orcid.org/0000-0001-8333-9015>.

Abstract. Relevance. The reliability and failure-free operation of mining equipment engines largely depend on their vibration condition, which reflects dynamic loads, installation quality, and the technical state of components. The use of non-destructive vibration diagnostics enables early fault detection without shutting down equipment, which is critically important for diesel generator sets providing uninterrupted power supply at mining enterprises. **Objective.** To analyze the effectiveness of non-destructive vibration testing methods for assessing the technical condition of mining equipment engines using a Mitsubishi S12R diesel

generator rated at 880 kW before and after alignment. *Methods.* Experimental studies of vibration parameters were carried out at the supports, engine crankshaft level, and generator shaft under various load modes. Measurements were performed using a noise and vibration analyzer with registration of harmonic components of vibration velocity $v_o(0.5)$, $v_o(1)$, $v_o(2)$, and total values $v_{\Sigma pik}$ in vertical, transverse, and axial directions. The assessment was conducted according to manufacturer recommendations and standard vibration diagnostic methodologies. *Results and Conclusions.* The study revealed that vibration levels at the supports, as well as on the engine and generator before and after alignment, remain high in all operating modes, indicating resonance effects and reduced structural rigidity of mountings. The highest values were recorded in the transverse direction, particularly near generator bearings. The obtained results expand diagnostic indicators for identifying the causes of increased vibration and can be applied in developing monitoring and maintenance procedures for power units used in mining operations.

Keywords: vibration diagnostics, non-destructive testing, diesel generator, mining equipment, vibration velocity, alignment, technical condition, monitoring

For citations: Gerasidi V.V., Lisachenko A.V., Apatenko A.S., Sevryugina N.S., Fomin A.Y. Analysis of the Application of Non-Destructive Testing Methods for Assessing the Technical Condition of Mining Equipment Motors Based on Vibration Parameters. *News of the National Academy of Sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences.* 2026. No.2. Pp. 121–134. DOI: <https://doi.org/10.32014/2026.2518-170X.619>

©Герасиди В.В.^{1*}, Лисаченко А.В.¹, Апатенко А.С.², Севрюгина Н.С.²,
Фомин А.С.², 2026.

¹Адмирал Ф.Ф. Ушаков атындағы Мемлекеттік теңіз университеті,
Новороссийск, Ресей;

²Ресей мемлекеттік аграрлық университеті – Мәскеу Тимирязев ауыл
шаруашылығы академиясы, Мәскеу, Ресей.
E-mail: gerasidi@rambler.ru

ДІРІЛ ПАРАМЕТРЛЕРІ БОЙЫНША ТАУ-КЕН ЖАБДЫҒЫ ҚОЗҒАЛТҚЫШТАРЫНЫҢ ТЕХНИКАЛЫҚ ЖАЙ-КҮЙІН БАҒАЛАУ ҮШІН БҰЗБАЙТЫН БАҚЫЛАУ ӘДІСТЕРІН ҚОЛДАНУДЫ ТАЛДАУ

Герасиди Виктор — PhD, қауымдастырылған профессор, Адмирал Ф.Ф. Ушаков атындағы Мемлекеттік теңіз университеті, Новороссийск, Ресей,
E-mail: gerasidi@rambler.ru, <https://orcid.org/0000-0001-5094-4139>;

Лисаченко Алексей — PhD, аға оқытушы, Адмирал Ф.Ф. Ушаков атындағы Мемлекеттік теңіз университеті, Новороссийск, Ресей,
E-mail: Lisachenko@nsma.ru, <https://orcid.org/0000-0002-3494-1437>;

Апатенко Алексей — техника ғылымдарының докторы, профессор, Ресей мемлекеттік аграрлық университеті – Мәскеу Тимирязев ауыл шаруашылығы академиясы, Мәскеу, Ресей, E-mail: a.apatenko@rgau-msha.ru, <https://orcid.org/0009-0006-8465-6251>;

Севрюгина Надежда — техника ғылымдарының докторы, профессор, Ресей мемлекеттік аграрлық университеті – Мәскеу Тимирязев ауыл шаруашылығы академиясы, Мәскеу, Ресей, E-mail: nssevr@yandex.ru, <https://orcid.org/0000-0002-3494-1437>;

Фомин Александр — техника ғылымдарының кандидаты, доцент, Ресей мемлекеттік аграрлық университеті – Мәскеу Тимирязев ауыл шаруашылығы академиясы, Мәскеу, Ресей, E-mail: sachafomin@mail.ru, <https://orcid.org/0000-0001-8333-9015>.

Аннотация. *Өзектілігі.* Тау-кен жабдықтары қозғалтқыштарының сенімділігі мен сенімділігі көбінесе олардың діріл күйімен анықталады, бұл динамикалық жүктемелердің деңгейін, монтаждау сапасын және тораптардың техникалық күйін көрсетеді. Діріл диагностикасының бұзбайтын әдістерін қолдану жабдықты пайдаланудан шығармай ақауларды уақтылы анықтауға мүмкіндік береді, бұл әсіресе тау-кен кәсіпорындарын үздіксіз энергиямен қамтамасыз ететін дизель-генератор қондырғылары үшін өте маңызды. *Мақсаты.* 880 кВт Mitsubishi s12r дизельді генераторының мысалында тау-кен жабдықтары қозғалтқыштарының техникалық жағдайын бағалау үшін бұзбайтын дірілді бақылау әдістерін қолдану тиімділігін талдау. *Әдістері.* Тіректердегі діріл параметрлеріне, қозғалтқыштың иінді білігінің деңгейіне және әртүрлі жүктеме режимдеріндегі генератор білігіне эксперименттік зерттеулер жүргізілді. Өлшеуді Шу мен діріл анализаторы V Гарм(0,5), $v_0(1)$, $v_0(2)$ діріл жылдамдығының гармоникалық компоненттерін және v_0 рік жиынтық мәндерін тік, көлденең және осьтік бағытта тіркей отырып жүргізді. Бағалау жоғары айналымды қозғалтқыштар өндірушілерінің нормативтік ұсыныстары және діріл диагностикасы әдістері бойынша жүргізілді. *Нәтижелер мен қорытындылар.* Тіректердегі, сондай-ақ қозғалтқыштағы және генератордағы туралауға дейінгі және кейінгі діріл деңгейлері барлық жұмыс режимдерінде жоғары болып қалады, бұл резонанстық құбылыстардың болуын және бекітпелердің құрылымдық қаттылығының әлсіреуін көрсетеді. Ең Үлкен мәндер көлденең бағытта, әсіресе генератордың мойынтіректер аймағында бекітілген. Алынған нәтижелер дірілдің жоғарылау себептерін бағалаудың диагностикалық белгілерін кеңейтеді және тау-кен өнеркәсібінің энергетикалық қондырғыларына мониторинг және техникалық қызмет көрсету регламенттерін әзірлеу кезінде пайдаланылуы мүмкін.

Түйін сөздер: діріл диагностикасы, бұзбайтын бақылау, дизель генераторы, тау-кен жабдықтары, діріл жылдамдығы, орталықтандыру, техникалық жағдайы, мониторинг

©Герасиди В.В.^{1*}, Лисаченко А.В.¹, Апатенко А.С.², Севрюгина Н.С.²,
Фомин А.С.², 2026.

¹Государственный Морской университет имени адмирала Ф.Ф. Ушакова,
Новороссийск, Россия;

²Российский государственный аграрный университет – МСХА имени
К.А. Тимирязева, Москва, Россия.
E-mail: gerasidi@rambler.ru

АНАЛИЗ ПРИМЕНЕНИЯ МЕТОДОВ НЕРАЗРУШАЮЩЕГО КОНТРОЛЯ ДЛЯ ОЦЕНКИ ТЕХНИЧЕСКОГО СОСТОЯНИЯ ДВИГАТЕЛЕЙ ГОРНОДОБЫВАЮЩЕГО ОБОРУДОВАНИЯ ПО ВИБРАЦИОННЫМ ПАРАМЕТРАМ

Герасиди Виктор — PhD, ассоциированный профессор, Государственный морской университет имени адмирала Ф.Ф. Ушакова, Новороссийск, Россия,
E-mail: gerasidi@rambler.ru, <https://orcid.org/0000-0001-5094-4139>;

Лисаченко Алексей — PhD, старший преподаватель, Государственный морской университет имени адмирала Ф.Ф. Ушакова, Новороссийск, Россия, E-mail: Lisachenko@nsma.ru, <https://orcid.org/0000-0002-3494-1437>;

Апатенко Алексей — доктор технических наук, профессор, Российский государственный аграрный университет – МСХА имени К.А. Тимирязева, Москва, Россия,
E-mail: a.apatenko@rgau-msha.ru, <https://orcid.org/0009-0006-8465-6251>;

Севрюгина Надежда — доктор технических наук, профессор, Российский государственный аграрный университет – МСХА имени К.А. Тимирязева, Москва, Россия,
E-mail: nssevr@yandex.ru, <https://orcid.org/0000-0002-3494-1437>;

Фомин Александр — кандидат технических наук, доцент, Российский государственный аграрный университет – МСХА имени К.А. Тимирязева, Москва, Россия,
E-mail: sachafomin@mail.ru, <https://orcid.org/0000-0001-8333-9015>.

Аннотация. *Актуальность.* Надёжность и безотказность работы двигателей горнодобывающего оборудования во многом определяется их вибрационным состоянием, которое отражает уровень динамических нагрузок, качество монтажа и техническое состояние узлов. Применение неразрушающих методов вибрационной диагностики позволяет своевременно выявлять дефекты без вывода оборудования из эксплуатации, что особенно важно для дизель-генераторных установок, обеспечивающих бесперебойное энергоснабжение горных предприятий. *Цель.* Анализ эффективности применения методов неразрушающего вибрационного контроля для оценки технического состояния двигателей горнодобывающего оборудования на примере дизель-генератора Mitsubishi S12R мощностью 880 кВт до и после центровки. *Методы.* Проведены экспериментальные исследования вибрационных параметров на опорах, уровне коленчатого вала двигателя и валу генератора в различных режимах нагрузки. Измерения выполнялись анализатором шума и вибрации с регистрацией гармонических составляющих виброскорости $v_0(0,5)$, $v_0(1)$, $v_0(2)$ и суммарных значений $v_{\Sigma pik}$ в вертикальном,

поперечном и осевом направлениях. Оценка производилась по нормативным рекомендациям производителей высокооборотных двигателей и методикам вибродиагностики. *Результаты и выводы.* Установлено, что уровни вибрации на опорах, а также на двигателе и генераторе до и после центровки остаются высокими во всех режимах эксплуатации, что указывает на наличие резонансных явлений и ослабление конструкционной жёсткости креплений. Наибольшие значения зафиксированы в поперечном направлении, особенно в зоне подшипников генератора. Полученные результаты расширяют диагностические признаки оценки причин повышенной вибрации и могут использоваться при разработке регламентов мониторинга и технического обслуживания энергетических установок горнодобывающей отрасли.

Ключевые слова: вибрационная диагностика, неразрушающий контроль, дизель-генератор, горнодобывающее оборудование, виброскорость, центровка, техническое состояние, мониторинг

Introduction. The development of priority areas will increase the adoption of advanced digital technologies at all stages of the mining equipment lifecycle, which, in turn, will improve the safety and efficiency of mining operations. This safety depends largely on the reliability and trouble-free operation of power units and key machine components. Over the past period, the global and domestic mining industries have seen significant changes in the use and development of equipment condition monitoring systems, particularly for engines and drive systems. The results of continuous monitoring and assessment of the actual technical condition have become widely used both in daily operation and during scheduled preventive maintenance and certification checks of equipment. This approach is reflected in the requirements of modern international standards, industry regulations, and operating procedures (Varenik et al., 2023; Zaalishvili et al., 2024).

Diesel generator sets (DGS) for the mining industry are reliable and powerful solutions that provide a stable power supply where high performance and uninterrupted operation are essential. They are ideal for large industrial facilities, commercial buildings, infrastructure projects, and other applications where power outages are unacceptable. The generators operate in automatic mode, which minimizes the risk of failures and ensures voltage and frequency stability (Bosikov et al., 2023).

The Mitsubishi S12R industrial diesel generator with a capacity of 880 kW is used in mining applications for primary or backup power supply (Isametova et al., 2025).

The use of a large-displacement, multi-cylinder, radiator-cooled diesel engine with a constant speed of 1800 rpm ensures high reliability and maintainability. This model is an industrial diesel generator designed for continuous operation (Gendler et al., 2025).

This unit is designed for permanent installation and can be installed either

outdoors (in a container or enclosure) or indoors (in an open configuration or enclosure). This model can be used for grid backup, and in continuous operation, the diesel generator can supply power to consumers (Khekert et al., 2025; Kondratev et al., 2023; Kondratev et al., 2020).

It is also used in power plants or similar industrial equipment to provide backup or primary power supply. The relevance of studying vibration parameters in industrial internal combustion engines (ICEs) is determined by several factors:

- the possibility of non-destructive testing of the technical condition, which allows determining the actual condition of a dynamically operating unit without lengthy equipment downtime (Kozhukhova et al., 2018; Malozyomov et al., 2025);
- fault detection.

Vibration parameter analysis helps identify defects such as system rigidity loss, wear of piston components, faults in the fuel supply and distribution system, crankshaft bearing damage, and more (Malozyomov et al., 2024; Shabanov et al., 2023).

Predicting vibration conditions during the design and development stages of engines using digital technologies (digital twins, CAE modeling) helps reduce structural vibration during process upgrades. This reduces the cost and time required to create prototypes and conduct full-scale experiments to refine vibroacoustic characteristics (Tananykhin et al., 2026; Tynchenko et al., 2024).

Therefore, studying the vibration parameters of mining diesel generator sets is important for equipment owners and service departments, as it helps reduce downtime, lower repair costs, and improve service quality (Filina et al., 2024).

Test object and conditions.

1. Engine at crankshaft level before and after alignment.
 2. Generator at shaft level before and after alignment.
 3. Supports before and after alignment.
- Test conditions:
 - Mode I, idle speed (i/s), $n = 1800 \text{ min}^{-1}$ before and after generator alignment.
 - Mode II, 25% of the rated load Ne_{nom} , $n = 1800 \text{ min}^{-1}$ before generator alignment.
 - Mode III, 30% of the rated load Ne_{nom} , $n = 1800 \text{ min}^{-1}$ after generator alignment.
 - Mode IV, 50% of the rated load Ne_{nom} , $n = 1800 \text{ min}^{-1}$ after generator alignment.
 - Mode IV, 70% of the rated load Ne_{nom} , $n = 1800 \text{ min}^{-1}$ after generator alignment.

The inspection diagram in Fig. 1 shows the inspection procedure before and after the diesel generator set alignment.

The inspection was performed using the following measuring instruments:

SVAN 958 noise and vibration analyzer from Svantek Ltd (Poland), serial number 35031, with an SV85 vibration sensor, serial number D1198.

State verification date: March 15, 2025

Verification certificate no. S-SP/15-03-2022/14005406

Inspection results.

The results of the measurements, in accordance with the measurement point arrangement diagram, are presented in Tables 1 and 2, and Figs. 2–4.




Figure 1. Schematic diagram of an industrial diesel generator set with a Mitsubishi S12R engine. Measurement points along the length of the machine: 1–8 (Z) supports; 9, 10 engine crankshaft level; 11, 12 generator shaft level, 13Z casing (foundation).

Methodological aspects. To diagnose the causes of increased generator vibration, a methodology developed by Caterpillar, a manufacturer of high-speed gas and diesel engines, was used.

To analyze generator vibration, the following vibration signal processing was performed in the vertical (Z), axial (X), and transverse (Y) directions of the vibration velocity value:

1) v_0 Peak at the frequency of the corresponding half-turn $v_{0(1/2)}$ and turn $v_{0(1)}$ and its harmonic $v_{0(2)}$ in the 1/8 octave frequency band of the engine 30 Hz (1800 min-

1) vibration values in accordance with the recommendations of the manufacturer "Caterpillar" are:

- for the internal combustion engine at the crankshaft level, and the generator at the shaft level ≤ 9.97 mm/s ("severe vibration operating conditions");
- for the diesel generator mounts, there are no recommendations from the manufacturer Caterpillar; according to operating experience, the vibration levels of the diesel generator mounts are half that at the engine crankshaft level.

2) $v_{\Sigma pik}$ is the sum of the values of v_0 . The peak of all harmonics $v_{0(0,5)}, v_{0(1)}, v_{0(1,5)}, v_{0(2)}, v_{0(2,5)}, v_{0(3)}, v_{0(3,5)}, v_{0(4)}, v_{0(4,5)}, v_{0(5)}, v_{0(5,5)}, v_{0(6)}, v_{0(6,5)}, v_{0(7)}, v_{0(7,5)}, v_{0(8)}$ vibration values in accordance with the recommendations of the manufacturer Caterpillar are:

- for internal combustion engines at the crankshaft level, and generator at the shaft level ≤ 35 mm/s ("severe vibration operating conditions");

The results of the conducted control. From Table 1 it is evident that

- all diesel generator supports are heavily loaded in the transverse direction (y) and exhibit high maximum vibration levels in all operating modes of diesel generator #1 at points 1Y, 8Y;
- at point 7Y, the highest vibration level in idle mode after diesel generator alignment at double engine speed $v_{0(2)}$ is 8.89 mm/s, creating a resonance condition.

Figure 2 shows that vibration levels are virtually identical before and after diesel generator alignment, and sometimes even exceed the values slightly, for example, at support #8 at point 8Y. The effects of vibration forces on the supports before and after diesel generator #1 alignment are virtually identical.

From Table 2 shows that

- the vibration values on the engine and generator are maximum in the transverse direction (Y) and slightly exceed the maximum permissible values of the manufacturer of high-speed engines, Caterpillar, especially at point 12Y on the generator aft bearing in all operating modes before and after alignment of the diesel generator set.
- the vibration values $v_{0(\Sigma)}$ on the engines in the vertical direction at point 9(Z) reach their maximum values of 51.91 mm/s, which indicates a weakening of the engine structure fastening to the foundation (structural rigidity).
- the difference between the vibration parameter values $v_{0(0,5)}, v_{0(1)}, v_{0(2)}$ at all control points and operating modes of the engine and generator before and after the diesel generator alignment is more than two times higher, indicating a resonance condition (Figs. 2–4). For example, in mode V, 70% of Ne_{nom} after alignment, the difference in the vibration parameter values $v_{0(0,5)}, v_{0(1)}, v_{0(2)}$ is at points: 9Y – 1 mm/s; 10Y – 5 mm/s; 11Y – 7 mm/s; 12Y – 11 mm/s.

The following conclusions can be drawn from the study:

1. Vibration parameter values at the diesel generator supports before and after alignment are high in all operating modes, resulting in a resonance effect.

2. The values of the vibration parameters in the transverse direction (Y) at the level of the ICE crankshaft and the generator at the shaft level before and after alignment in all operating modes are high, however, with an increase in the load of the diesel generator, an increase in vibration is not observed, the effect of misalignment of the engine and the axle wiring equipment (displacement force) is not observed, however, the difference between the values of the vibration parameters $v_{0(0,5)}$, $v_{0(1)}$, $v_{0(2)}$ at all control points and operating modes of the engine and generator before and after alignment of the diesel generator is more than two times or higher, a condition for resonance to occur appears.

3. The vibration values $v_{\theta(\sum p_{ik})}$ at the level of the engine crankshaft and the generator at the shaft level before and after centering at some points and directions reach maximum values, a condition appears for weakening the fastening of the engine structure to the foundation (structural rigidity).

4. Check and adjust the supports. If the manufacturer's recommendations indicate the support replacement period has passed and the diesel generator set has reached the specified operating time, replace them.

5. Perform vibration monitoring every 720 hours, as the vibration levels of individual components of diesel generator No. 1 are close to "severe operating conditions," according to (the specifications).

6. To diagnose and analyze elevated vibration levels of the diesel generator, compare the parameters with those of a similar type of diesel generator.

Table 1. Vibration parameters on diesel generator supports before and after alignment, rotation frequency 30 Hz 1800 min⁻¹).

Vibration velocity, mm/s																
<i>I mode, idle speed (i/s), before centering</i>																
	1Z	1Y	2Z	3Y	3Z	3Y	4Z	4Y	5Z	5Y	6Z	6Y	7Z	7Y	8Z	8Y
$v_{0(0,5)}$	1,31	-	0,43	-	0,57	-	1,22	-	1,1	-	0,63	-	0,81	-	1,05	-
$v_{0(1)}$	6,44	-	3,04	-	2,2	-	1,65	-	2,42	-	1,2	-	2,71	-	3,02	-
$v_{0(2)}$	2,46	-	0,67	-	1,25	-	4	-	6,84	-	0,95	-	1,75	-	3,99	-
<i>I mode, idle speed (i/s), after centering</i>																
$v_{0(0,5)}$	0,93	0,88	0,12	0,79	0,72	0,57	1,38	0,41	1,05	0,40	0,52	0,57	0,70	0,65	1,10	1,08
$v_{0(1)}$	5,15	12,58	3,74	6,23	1,98	7,67	2,19	4,89	2,76	5,24	1,62	7,82	3,32	5,91	3,92	11,04
$v_{0(2)}$	2,86	6,73	0,16	9,59	0,60	2,19	4,58	3,70	5,87	4,70	0,19	2,68	1,02	8,89	3,64	6,35
<i>II mode, 45 % of $N_{e_{nom}}$, before centering</i>																
$v_{0(0,5)}$	1,92	-	0,35	-	1,13	-	2,39	-	2,5/	-	0,99	-	0,64	-	1,91	-
$v_{0(1)}$	6,71	-	3,9	-	2,37	-	1,66	-	1,97	-	1,01	-	2,39	-	2,54	-
$v_{0(2)}$	2,14	-	0,68	-	1,05	-	2,89	-	6,1	-	0,24	-	0,98	-	3,06	-
<i>II mode, 30 % of $N_{e_{nom}}$, after centering</i>																
$v_{0(0,5)}$	0,75	1,42	0,55	0,63	0,89	0,55	1,76	0,28	1,47	0,46	0,60	0,66	0,68	0,73	1,52	1,15
$v_{0(1)}$	5,60	11,96	3,34	5,85	1,95	7,07	1,36	5,30	2,51	5,25	1,67	7,80	2,50	6,14	3,05	10,58
$v_{0(2)}$	2,39	6,94	0,64	7,62	1,13	3,26	5,75	3,11	5,95	4,22	0,45	4,78	1,21	8,52	2,73	6,13


III mode, 50 % of Ne_{nom}, after centering																
$v_{\theta(0,5)}$	1,75	1,43	0,36	0,79	1,07	0,66	2,85	0,40	2,03	0,63	0,75	0,71	1,12	1,31	2,87	3,19
$v_{\theta(1)}$	6,21	12,19	3,49	6,36	2,11	8,27	1,92	3,98	2,14	4,87	1,93	8,23	3,10	6,66	3,44	10,45
$v_{\theta(2)}$	2,04	5,72	0,29	8,47	1,22	4,23	5,43	2,41	5,80	2,96	0,40	5,05	1,39	7,61	2,99	5,08
IV mode, 70 % of Ne_{nom}, before centering																
$v_{\theta(0,5)}$	1,22		1,35		1,73		2,67		2,49		0,88		0,53		2,56	
$v_{\theta(1)}$	5,75		2,48		2,44		1,83		2,68		1,16		2,24		2,64	
$v_{\theta(2)}$	1,9		0,51		0,34		2,69		5,55		0,35		1,13		2,52	
IV mode, 70 % of Ne_{nom}, after centering																
$v_{\theta(0,5)}$	1,60	1,30	0,32	1,08	1,52	0,67	2,78	0,41	2,07	0,66	0,34	0,97	1,09	1,27	1,67	3,68
$v_{\theta(1)}$	5,29	11,22	2,55	6,32	1,95	7,60	1,21	5,42	2,52	4,64	1,79	8,89	2,88	6,32	2,78	9,72
$v_{\theta(2)}$	2,56	4,67	0,84	7,92	0,94	3,54	5,73	1,06	5,31	1,55	1,05	4,71	1,54	7,81	3,73	4,00

Table 2. Vibration parameters of the internal combustion engine and generator DG No. 1 before and after alignment, rotation frequency 30 Hz (1800 min⁻¹).

Vibration velocity, mm/s													
I mode, idle speed (i/s), before centering													
	9Z	9Y	9X	10Z	10Y	10X	11Z	11Y	11X	12Z	12Y	12X	Note / Maximum permissible values
$v_{\theta(0,5)}$	0,84	1,55	2,44	0,46	0,29	0,94	0,50	0,20	0,36	1,30	0,32	0,25	≤9,97 [2,3]
$v_{\theta(1)}$	6,10	3,59	3,64	2,00	8,09	0,92	3,54	7,64	2,59	2,64	13,58	2,57	≤9,97 [2,3]
$v_{\theta(2)}$	1,85	0,83	2,73	2,23	0,58	1,39	2,08	1,02	1,43	6,60	1,62	1,23	≤9,97 [2,3]
$v_{\theta(\Sigma_{\text{pick}})}$	31,19	16,77	24,44	21,15	23,59	9,55	17,25	24,87	11,92	23,07	29,12	20,85	≤35 [2,3]
I mode, idle speed (i/s), after centering													
$v_{\theta(0,5)}$	4,13	1,18	4,67	0,65	1,06	0,35	0,44	0,15	0,30	1,34	0,14	0,26	≤9,97 [2,3]
$v_{\theta(1)}$	3,44	3,78	5,21	2,97	7,71	1,01	3,34	8,20	1,66	2,67	12,88	3,06	≤9,97 [2,3]
$v_{\theta(2)}$	2,23	1,82	1,34	1,06	1,27	0,51	1,72	1,21	0,99	6,31	0,88	1,24	≤9,97 [2,3]
$v_{\theta(\Sigma_{\text{pick}})}$	30,37	24,58	25,94	20,92	25,21	9,64	14,77	25,25	9,38	24,47	26,41	22,70	≤35 [2,3]
II mode, 30 % of Ne_{nom}, before centering													
$v_{\theta(0,5)}$	2,34	1,77	1,14	4,65	5,16	0,42	0,69	0,52	1,27	1,79	0,11	0,43	≤9,97 [2,3]
$v_{\theta(1)}$	5,53	2,41	3,17	2,71	8,70	1,48	3,48	8,89	1,56	2,19	12,84	3,49	≤9,97 [2,3]
$v_{\theta(2)}$	2,76	1,71	1,00	1,19	0,70	0,62	2,04	1,09	1,44	7,13	0,74	0,92	≤9,97 [2,3]
$v_{\theta(\Sigma)}$	36,94	29,54	18,49	29,65	35,89	15,14	19,79	34	12,14	25,83	34	30,38	≤35 [2,3]
III mode, 45 % of Ne_{nom}, after centering													
$v_{\theta(0,5)}$	1,83	0,73	0,37	2,00	4,00	2,13	0,97	0,82	0,34	2,50	0,18	0,58	≤9,97 [2,3]
$v_{\theta(1)}$	6,84	3,26	2,21	1,05	7,51	1,09	3,60	7,87	2,60	2,49	11,56	3,04	≤9,97 [2,3]
$v_{\theta(2)}$	1,83	2,53	0,55	1,38	1,72	0,78	1,43	1,18	0,95	4,92	1,73	0,81	≤9,97 [2,3]
$v_{\theta(\Sigma_{\text{pick}})}$	39,17	30,56	16,67	25,75	30,07	15,25	21,44	34,04	14,49	27,32	34,28	27,96	≤35 [2,3]
IV mode, 50 % of Ne_{nom}, after centering													
$v_{\theta(0,5)}$	3,24	2,52	1,65	3,38	2,19	1,32	1,15	0,26	1,04	3,67	0,10	0,57	≤9,97 [2,3]
$v_{\theta(1)}$	5,80	2,57	2,06	3,75	8,92	1,28	3,54	8,83	2,34	1,86	13,46	3,92	≤9,97 [2,3]
$v_{\theta(2)}$	3,04	2,12	0,97	0,84	1,16	0,65	1,92	1,50	1,12	6,66	1,22	1,04	≤9,97 [2,3]
$v_{\theta(\Sigma)}$	39,73	31,40	18,36	32,73	33,90	16,51	22,73	38,46	12,74	30,75	39,03	32,22	≤35 [2,3]

	<i>V</i> mode, 70 % of <i>N</i> e _{nom} , after centering												
<i>v</i> _{θ(0,5)}	10,33	1,40	0,95	2,44	4,82	1,00	1,02	1,53	1,89	1,11	0,14	0,72	≤9,97 [2,3]
<i>v</i> _{θ(1)}	5,96	2,89	4,10	4,49	10,64	1,36	3,49	9,11	2,32	1,74	12,56	3,73	≤9,97 [2,3]
<i>v</i> _{θ(2)}	2,27	1,75	0,69	0,62	0,99	0,70	2,10	1,45	0,89	6,46	0,95	0,73	≤9,97 [2,3]
<i>v</i> _{θ(Σ_{pk})}	51,91	30,70	21,79	34,76	39,15	18,03	25,89	41,31	12,47	30,18	36,16	32,54	≤35 [2,3]

The values at point 13Z in all operating modes before and after centering of DG No. 1 did not exceed 1.5 mm/s.






Figure 3. Dependence of vibration velocity $v_{\theta(1)}$ on engine load in the transverse direction of the engine and generator at different loads.




Figure 4. Dependence of vibration velocity $v_{0(1)}$ on engine load in the transverse direction of the engine and generator at different loads before and after alignment of the diesel generator set.

Conclusion. Vibration diagnostics is a standard and mandatory method for monitoring the technical condition of engines and components of mining equipment during operation.

The vibration characteristics criteria examined allow us to identify the impact of process disturbances, such as imbalance of rotating parts (imbalance) and displacement forces (misalignment); unbalanced torsional and forced vibration forces (torque and resonance); fuel combustion processes (detonation in internal combustion engines); and loose structural fasteners, on the technical condition and operating mode of diesel generator sets.

These studies expand the range of diagnostic indicators (rules) for assessing the causes of vibration at various stages of defect development in units and components of diesel generator sets used in mining equipment under operating conditions.

These vibration characteristics analysis results can serve as the basis for developing recommendations for determining the technical condition of diesel generator sets during scheduled inspections and maintenance.

References

Bosikov I.I., Klyuev R.V., Khetagurov V.N., Silaev I.V. (2023) Kompleksnaya otsenka gidrodinamicheskikh protsessov na Klinskom kar'yere s ispol'zovaniyem metodov ikh kontrolya v skal'nykh massivakh [Comprehensive assessment of hydrodynamic processes in the Klinskoye Quarry with the use of their control methods in rock masses]. Sustainable Development of Mountain Territories. – No.2. – P. 284-297. <https://doi.org/10.21177/1998-4502-2023-15-2-284-297>. (in Russian).

Filina O.A., Martyushev N.V., Malozyomov B.V. (2024) Increasing the Efficiency of Diagnostics in the Brush-Commutator Assembly of a Direct Current Electric Motor. Energies. – Vol. 17. – No. 17. DOI: 10.3390/en17010017 (in English).

Gendler S.G., Seregin A.S., Belekhov P.A. (2025) Study of the effects of operational and design characteristics of diesel equipment on gas contamination in underground mine workings. Gornaya Promyshlennost. – № 4. – P. 170-177. DOI: 10.30686/1609-9192-2025-4-170-177. (in English).

Isametova M., Nussipali R., Smailova G., Sabirova L., Tursynbayeva A., Sagatova L., Tkachenko D., Saidinbayeva N. (2025) Development and Verification of a Centrifugal Pump Rotor Model Based on Integrated Multibody Dynamics in the ADAMS Environment. Appl. Sci., 15. – P. 9132. <https://doi.org/10.3390/app15169132>. (in English).

Khekert E.V., Malozyomov B.V., Klyuev R.V., Antamoshkin O.A., Remezov I.S. (2025) Battery charging simulation of a passenger electric vehicle from a traction voltage inverter with an integrated charger. World Electric Vehicle Journal. – Vol. 16. – No. 7. – P. 391. DOI: 10.3390/wevj1607039. (in English).

Kondratiev S.I., Varenik A.V., Orekhova N.A. (2023) Inorganic forms of nitrogen in the deep part of the Black Sea based on the expeditionary data, 2016–2019. Physical Oceanography. – Vol. 30. – No. 2. – P. 186-201. DOI: 10.29039/1573-160X-2023-2-186-201. (in English).

Kondratiev S.I., Vidnichuk A.V. (2020) Local seasonal hypoxia and hydrogen sulphide formation in the bottom waters of the Sevastopol Bay in 2009-2019. Ecological Safety of Coastal and Shelf Zones of Sea. – No. 2. – P. 107-121. DOI: 10.22449/2413-5577-2020-1-107-121. (in English).

Kozhukhova N., Zhernovsky I., Voytovich E. (2018) Aspects of application of industrial aluminosilicate wastes in production of zero-cement construction composites. IOP Conference Series: Materials Science and Engineering. – Vol. 365. – No. 3. – P. 032043. DOI: 10.1088/1757-899X/365/3/032043. (in English).

Malozyomov B.V., Khekert E.V., Martyushev N.V., Golik V.I., Tynchenko V.S. (2025) Improving

the reliability of the protection of electric transport networks // World Electric Vehicle Journal. – Vol. 16. – No. 8. – P. 477. DOI: 10.3390/wevj16080477. (in English).

Malozymov B.V., Martyushev N.V., Kukartsev V.V., Konyukhov V.Y., Oparina T.A., Sevryugina N.S., Gozbenko V.E., Kondratiev V.V. (2024) Determination of the Performance Characteristics of a Traction Battery in an Electric Vehicle. World Electr. Veh. J. – Vol. 15. – P. 64. DOI: 10.3390/wevj15020064. (in English).

Shabanov M.V., Marichev M.S., Nevidomskaya D.G., Minkina T.M. (2023) Vliyaniye kislykh sul'fatnykh vod na zagryazneniye pochv terrikona Karabashskogo rudnogo rayona [Acidic sulphate water influence on terricon soil pollution in the Karabash ore district]. Sustainable Development of Mountain Territories. – No.4. – P. 888-900. <https://doi.org/10.21177/1998-4502-2023-15-4-888-900>. (in Russian).

Tananykhin D.S., Korobov G.Y., Perepelkin A.I., Shelukhov G.V., Shirazi M.M. (2026) A comprehensive analysis of bottom hole formation zone destruction factors. International Journal of Engineering. Transactions B: Applications. – Vol. 39. – No. 4. – P. 949-959. DOI: 10.5829/ije.2025.39.04a.13. (in English).

Tynchenko Y.A., Kukartsev V.V., Xiaogang W., Kravtsov K.I. (2024) Modelirovaniye intensivnosti zasukhi v gornykh rayonakh s ispol'zovaniyem meteorologicheskikh parametrov [Modeling the drought intensity in mountainous areas using meteorological parameters]. Sustainable Development of Mountain Territories. – Vol. 16(2). – P. 655-668. (in Russian).

Varenik A.V., Kondratyev S.I., Medvedev E.V., Khoruzhiy D.S., Orekhova N.A. (2023) Characteristics of state and evolution of the Black Sea hydrochemical structure. Physical Oceanography. – Vol. 30. – No. 6. – P. 826-850. (in English).

Zaialishvili V.B., Melkov D.A. (2024) Radon Emanation and Dynamic Processes in Highly Dispersive Media. Geosciences. – Vol. 14. – P. 102. DOI: 10.3390/geosciences14040102. (in English).

Publication Ethics and Publication Malpractice in the journals of the Central Asian Academic Research Center LLP

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the journals of the Central Asian Academic Research Center LLP implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The Central Asian Academic Research Center LLP follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/ or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the Central Asian Academic Research Center LLP.

The Editorial Board of the Central Asian Academic Research Center LLP will monitor and safeguard publishing ethics.

Requirements for articles design for publication in the journal are available on the websites:

**[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)
<http://www.geolog-technical.kz/index.php/en/>
ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)**

Managing Editor: *T. Apendiev*
Editors: *D.S. Alenov, A.Shormakova*
Computer layout: *G.D. Zhadyranova*

Signed for print: April 10, 2026
Format: 70×90 1/16. 26.5 printed sheets. Order No. 2.

*«Central Asian Academic Research Center» LLP
Almaty, Shevchenko Street, 28*